## 2246

**30046** 

C

Diag. Cht. 5530-1
Form 504
U. S. COAST AND GEODETIC SURVEY
DEPARTMENT OF COMMERCE
·
DESCRIPTIVE REPORT
Type of Survey Lydrographic Field No. Office No. 2246
Field No. Office No. 2246
LOCALITY
$\mathcal{C}_{2}$
State California
General locality Transco
Locality 2
1896
194
CHIEF OF PARTY
St James H. Sears.
LIBRARY & ARCHIVES
DATE

B-1870-1 (1)++

ŀ

U. S. COAST AND GEODETIC SURVEY.
Gen. W. W. Duffield, Superintendent.
State: California.
DESCRIPTIVE REPORT.
Hydrographic Sheet No. 2246.
San Francises Bay.
1895_6.
CHIEF OF PARTY:
Liet. James H. Sears, U. S. N.

To Capt Mine

The font housmitting Records

and Sheets of Amh one as

Section of San Francisco Boy

Office Mr. of Profestion 5;

*	ausalito, C.			
Telegraph me at:	/			
My Express Office is			At me attend	•
			Str. 'Me arthur	
· · · · · · · · · · · · · · · · · · ·		Sausalito, -		
2-047 Par	21950 W	on blue	pril. 4, 18	96.
Gen. N	. N. Duffield,			
Sup	enntendent	n. S. Cand	s. Survey,	
	1	ashing ton.	D.6.	
Sir:				
Ln	accordence	with par	, 209, Gener	al
Instruc	tions for st	ly drogsaphi	c Parties," In	kas
the ho	nor to sub	net a Repo	rt coverngt	he
work	ef this par	ty as set	forth in th	E
origin	al record	and proj	Ections trans	m
into	days mai	l registere	L.	
$\mathcal{A}_{\mathcal{A}}$	list and a	escription	of the sepa	rail
pack	ages is ap	spended.		
			eber), as sent	
			nt the char	
			the artific	
shore	line for a	t number of	Lyears, and	// :
regues	red the use	in charg	ne of Sub Of	yei i
so per	roide me	war a g	an equin	•

water front of the bety of San Francisco, which request was promptly complied with. The plat of the Harbor Commissioner's I found unsuitable.

The changes have not been made upon the projection, but a separate sheet is forwarded showing the hydrographic work along the water front and wharves. This sheet represents the present water front.

On the Oakland side of the Bay, aswell, changes have taken place which were run in by this party and introduced upon the projection. These changes are as follows; The pier of the Narrow Jauge branch of the S. O. Railroad has been extended. (Cier Plotted). The wharf off the Clameda Baths has entirely disappeared with the exception of a few sunpen piles inshore.

The wharf off the Oil Works, alameda, has been torn down in part, and converted into a conduit for oil pipes, leaving only a foot path for other traffic: A small wharf has been built between this conduit and the narrow gauge piet.

A small what has been built at the foot of Grand avenue, Alameda, the Encind Yacht Club having headquarters at its extremity.

Hydrography was efecuted in accordance with your instructions, dated DEC, 27, 1896, supplemented by detailed instructions of the Hydrographic Inspector; the effort being made to make the work close and exact.

Me deep water immediately south of Island of Yerba Buena, commonly called Goat Island, is not developed upon the projection, as it more properly falls upon another projection (Office number 4), work upon which is already in hand.

In view of the fact that a new railroad, the San Jeaquin Valley Read, is to have terminal facillities in China Basen, Especial pains were taken to develop that locality, and, further, a minute Examination was made of the two (2) dangerous rocks in mission Bay. A separate Sheet is forwarded (scale 1/1000,) showing charactivistic soundings in their neighborhood and their development to one (1) foot contours. In the Pacific Coast Oulot, Edition, 1889, yp. 188, it is stated. "It is reputed that a third head has been discovered to the Mission Bay Rock, as described from the examination of 1871."

This head is now located - Since

the recent grounding of the Ship "Packard"
upon one of these heads, a new danger
- busy has been placed and named the
'Tackard Rock busy:

The latest positions and drifts of the three buoys are plotted.

It is the intention of the Lt. Ho. Board, to replace the Iron can busys with spars, as less liable to be dragged away, and less dangerous to small cript. A new rock has been located, and

to day, specially reported to the beast survey Office.

The search for this rock was made upon information acquired from the Captain of the lug "fest Redmond; to the elfect that a rock existed in the neighborhood with a depth of 22 ft, having corr it I ft, of mud. The rock is not

covered with mud, but sums to be a smooth Boulder lying about 65 metres, N. E. May, from S. E. Corner of Sprechelis sugar refinery wharf, with dimensions about 6 metres by 7 metres, with a least reduced depath of 15'-.6.

A mud sket is located about 30 metre

N. E. from Stewart St. What and 15 the
length of the wharf from the extremity,
having a least reduced dephth of 15-1.3.

Dredging is constantly young on along
the wharves.

The boulder of Rincon Ot. (depth upon chart & 3/4 fms.) has been found to have a reduced depth of 4/2 fms.

about where I find is the sounding upon the chart with a least depth of.

4 fms \*\ . This boulder lies M. E. x E /2 E (mag) about 470 metres from the outer corner of Spear Street Wharf. It extends within the 5 fm. curve about 18 metres n. E and S. H., and about 8 metres n. d. and S. E.

Mess boulders being in a very busy portion of the Bay would seem likely to become a manace if bessels are given greater dimensions in the future, as the lowest waters will reduce these depths.

The highest pennacle of mussion Bay Noch has a reduced depth of 12.4' and bears I mag from the chimney on the mission Nock Harehouses, (Aydrog raphic signal 'Rock') distant 360 metres.

Me nest pinacle with a reduced depth of 15.'6, bears from the first N. /4 A mag, distant to metres.

The third, with a reduced depth of 17:6, bears from the first S. S.E. 14 E. (mag), distant 35 metres.

Sonoma Rock bears S. E. x E. 3/4 E. Mag. from the highest point of Mission Bay Rock distant 240 metres, and has a reduced least depth of 14:3.

Many lines were run in developing these rocks, and locating others, which cannot appear upon the projection. The method of dragging was resorted to with success.

With the exception of the dangers noted, careful inquiry and close sounding fails to reveal other dangers.

Un automatic dide gauge was maintained by the Sub Office for three (3) months at the union Iron

Works, an independent gauge, irected by the Party, bring maintained after the discontinuance of the automatic gauge.

Other gauges were exected for purpose of comparison and reference upon the area covered by the projection, viz: At Cowell St. What; At the peer of the Southern Cacific Navrow Genge Branch; Wear the foot of Broadway Oakland and at the Encinal yacht club House. Me tedal stations are plotted and noted upon the projection. Ifter careful consideration of the ledal data, it was deemed but to divide the projection into sections, referring each to the several different gauge

Me lines of devision upon the projection

are double pencilled + noted.

Concerning the currents within the lemits of the sheet I regret to say that lettle can be offered of value, and, in my openion, Extended observations well be necessary before practical results can be reached. - I consulted with men who are navigating the waters, covered by the sheet, Every day, and became impressed with the difficulty of formulating the currents. The important features in the problem are to be found in the narrow Entrance to the Bay; Me great volume of water, and the sam at the entrance; the fluctuations in the volume and velocity of waters in the tributary streams, especially, the Sacramento San Jeaguen Rivers. With these

rivers high, their streams meeting an incoming low flood, the conditions are very different from those existing when the streams are low, and the flood at its strongest.

In crossing the Bay from side to side, different phases of current will be encountered, and this fact caused yreat difficulty in running straight lines.

Me Ferry boats from Oakland may meet-a powerful flood to the eastward of Yerla Buena one day, and later, under the same conditions, as regards stage of tide, may only mut it, restward of the same Island, a control going on between opposing currents.

In the entrance to the Bay the lack of correspondence between stage

If tide and currents is marked. upon both sides, amounting to two hours sometimes on either.

The flood current on one occasion was making off Ot. Labor after St. W. at Sausalito, and, at the same time the abb current was abbing off fact Point. The same day, in the mile Rock - Labor Channel, The bauts experienced a strong current setting on shore; further out, a strong Elb, and close in, the flood current, the Ebb seeming to split at the mile Rocks, forming the Eddy which causes small sailing vessels Entering the harbor to take this channel, by which they gain a fair, er but a small adverse current, at all limes, up to test Count.

a strong local effect is being made to have the harbor improved by bloing up the dangerous rocks, and in other respects with reference to the rocks upon projection forwarded. I venture the opinion that some should be destroyed as they cempy the vusiest parts of the Bay, and where the currents are most unreliable.

In advance of finishing the work upon - another projection Lwould like further to urge another suggested improvement, the establishment of range marks for the running inward of Bonita Channel, the present marks being inadequate for the reason that no stranger could locate the 'kindmill', there being several in the neighborhood,

and the chances are against his locating Blue Mountain as it is most frequently obscured. We busys in Bouta Channel are the sures guide, but range marks would relieve a stranger of much doubt. This measure is strongly urged by the Chamber of Commerce, and from my experience in the Channel Lam convinced that it is one of the first improvements that should be under taken.

Another suggestion by the Enamber of Commerce, that the chart of the Bay should eshibit the legal anchorage grounds, I would also effer for your consideration and I send the latest circular defining theselemits.

It is af rather frequent occurrence that vessels are put to expense to

Change their anchorage through ignorance of the location, the charts not furnishing the necessary information. In conclusion I have to express my thanks to the assistant in charge of Sub-Office for his unvarying courtery and advice; and to all the members of the Party for faithful work without intermission; Ensign Me Cully having especially distinguished himself by his Very respectfully Lieut, U.S.n. ast. N.S.C. S.S.

APR 14 1896 & OFFICE OF OROGRAPHIC INSPECTOR

Torwarded Mosto. L't Com'd

Hydrographic Inspector C. & G. Survey.

## Chief Wharfinger, Board of State Harbor Commissioners,

FOOT OF CLAY STREET.

San	Francisco,	······ ,	189

TO PILOTS, MASTERS OF TUG BOATS, AND MASTERS, OWNERS AND CONSIGNEES OF VESSELS:

Gentlemen:—The undersigned begs to call your attention to the following orders, adopted by the Board of State Harbor Commissioners, concerning the anchoring of vessels in the harbor of San Francisco:

- 1. Vessels must not be anchored, nor moored, between a line drawn from the outer end of Jackson Street Wharf, to the most southerly point of Goat Island, and a line drawn from the outer end of Mission Street Wharf, to the Ferry Slip of the South Pacific Coast Railroad Company, on the Alameda side of the Bay; nor must they be anchored so as to permit them to swing between said lines.
- 2. Vessels must not be anchored, nor moored, between a line drawn from the intersection of the north line of Townsend Street, with the easterly line of the Pacific Mail Steamship Company's Wharf, to the extreme westerly end of the north training wall of Oakland Harbor, and a line drawn from the outer end of Berry Street Pier to the extreme westerly end of the south training wall of Oakland Harbor; nor must they be anchored so as to permit them to swing between the said lines, nor within eight hundred feet of the Hay Wharf.
- 3. Vessels must not be anchored, nor moored, between a line drawn from the most easterly point of Point Blunt, passing over Blossom Rock as marked by buoy, and intersecting the 500-yard limit at a point directly north of the outer end of Lombard Street Pier. This line if projected would touch the outer end of Washington Street Pier, and a line drawn from the northwesterly end of the Grain Shed of Section 1, of the Sea Wall, to the light on Alcatraz Island. Nor must they be anchored so as to permit them to swing between said lines. [Amended Feb. 5, 1895.]
- 4. Vessels must not be anchored, nor moored, within five hundred yards of a line drawn from the extreme northerly end of the Sea Wall, southerly through the extreme outer ends of the piers, to the outer end of Berry Street Wharf.
- 5. Vessels propelled by steam, except when going to or leaving the Sea Wall, must not run inside of a line eight hundred feet distant from, and parallel with, the said Sea Wall.

Also to the following sections of the Political Code:

Section 2539.—It shall be the duty of the Chief Wharfinger to execute and enforce the rules and regulations which may be established by said Board of State Harbor Commissioners pursuant to the provision of this article. And it shall be the duty of all pilots, masters of tug-boats, masters, owners and consignees of vessels, to obey all lawful orders and directions of the Chief Wharfinger in relation to the stationing, anchoring and removing of vessels under and pursuant to such rules and regulations. The Chief Wharfinger is empowered to determine cases of collision by consent of all parties interested; and where damages do not exceed three hundred dollars the decision is final.

Section 2541.—If any master, agent or owner of any water craft shall refuse or neglect to obey the lawful orders or directions of the Chief Wharfinger in any matter pertaining to the regulation of said harbor, or the removal or stationing of any water craft, such master, agent or owner so refusing or neglecting, is guilty of a misdemeanor, and upon conviction thereof before any court of competent jurisdiction, shall be punished by a fine not to exceed three hundred dollars, or by imprisonment not to exceed one hundred days in the jail of the City and County of San Francisco.

Now, in pursuance of the duty imposed on me by Section 2539 of the Political Code, quoted above, I call on you to observe the above orders, in relation to the anchoring of vessels in the Harbor of San Francisco, and forbid you, under the penalties prescribed in Section 2541 of the Political Code, also quoted above, to anchor vessels in the limits prohibited by the said orders, or to so anchor them that they will swing within the said orders, or to so anchor them

Chief Wh ranger.

## Chief Wharfinger, Board of State Harbor Commissioners,

FOOT OF CLAY STREET.

0	<i>∞</i> .			
-Jan	Grancisco,	,,	189.	

TO PILOTS, MASTERS OF TUG BOATS, AND MASTERS, OWNERS AND CONSIGNEES OF VESSELS:

Gentlemen:—The undersigned begs to call your attention to the following orders, adopted by the Board of State Harbor Commissioners, concerning the anchoring of vessels in the harbor of San Francisco:

- 1. Vessels must not be anchored, nor moored, between a line drawn from the outer end of Jackson Street Wharf, to the most southerly point of Goat Island, and a line drawn from the outer end of Mission Street Wharf, to the Ferry Slip of the South Pacific Coast Railroad Company, on the Alameda side of the Bay; nor must they be anchored so as to permit them to swing between said lines.
- 2. Vessels must not be anchored, nor moored, between a line drawn from the intersection of the north line of Townsend Street, with the easterly line of the Pacific Mail Steamship Company's Wharf, to the extreme westerly end of the north training wall of Oakland Harbor, and a line drawn from the outer end of Berry Street Pier to the extreme westerly end of the south training wall of Oakland Harbor; nor must they be anchored so as to permit them to swing between the said lines, nor within eight hundred feet of the Hay Wharf.
- 3. Vessels must not be anchored, nor moored, between a line drawn from the most easterly point of Point Blunt, passing over Blossom Rock as marked by buoy, and intersecting the 500-yard limit at a point directly north of the outer end of Lombard Street Pier. This line if projected would touch the outer end of Washington Street Pier, and a line drawn from the northwesterly end of the Grain Shed of Section 1, of the Sea Wall, to the light on Alcatraz Island. Nor must they be anchored so as to permit them to swing between said lines. [Amended Feb. 5, 1895.]
- 4. Vessels must not be anchored, nor moored, within five hundred yards of a line drawn from the extreme northerly end of the Sea Wall, southerly through the extreme outer ends of the piers, to the outer end of Berry Street Wharf.
- 5. Vessels propelled by steam, except when going to or leaving the Sea Wall, must not run inside of a line eight hundred feet distant from, and parallel with, the said Sea Wall.

Also to the following sections of the Political Code:

The state of

Section 2539.—It shall be the duty of the Chief Wharfinger to execute and enforce the rules and regulations which may be established by said Board of State Harbor Commissioners pursuant to the provision of this article. And it shall be the duty of all pilots, masters of tug-boats, masters, owners and consignees of vessels, to obey all lawful orders and directions of the Chief Wharfinger in relation to the stationing, anchoring and removing of vessels under and pursuant to such rules and regulations. The Chief Wharfinger is empowered to determine cases of collision by consent of all parties interested; and where damages do not exceed three hundred dollars the decision is final.

Section 2541.—If any master, agent or owner of any water craft shall refuse or neglect to obey the lawful orders or directions of the Chief Wharfinger in any matter pertaining to the regulation of said harbor, or the removal or stationing of any water craft, such master, agent or owner so refusing or neglecting, is guilty of a misdemeanor, and upon conviction thereof before any court of competent jurisdiction, shall be punished by a fine not to exceed three hundred dollars, or by imprisonment not to exceed one hundred days in the jail of the City and County of San Francisco.

Now, in pursuance of the duty imposed on me by Section 2539 of the Political Code, quoted above, I call on you to observe the above orders, in relation to the anchoring of vessels in the Harbor of San Francisco, and forbid you, under the penalties prescribed in Section 2541 of the Political Code, also quoted above, to anchor vessels in the limits prohibited by the said orders, or to so anchor them that they will swing within the

- hief Wharfinger